

**STX 3/600****.....T.e.c.h.n.i.c.a.l.f.e.a.t.u.r.e.s.....**


- › **A**utomatic grinder for the internal finishing of pipes and tubes
 - › **T**otal motor rating: 7,5 kW
 - › **H**igh-speed spindles
- › **T**his machine can work on 3 pipes simultaneously
 - › **U**seful horizontal travel 6200mm
- › **W**orking head speed: from 0,10 to 5 m/min
- › **M**achinable pipes: ID 22-130mm, maximum length 6000mm
 - › **S**pindle's speed: from 2400 to 9600 rpm




CICLOPE

STX 3/600

- › **E**asy to install
- › **E**asy to use
- › **M**inimum floor space
- › **S**urface roughness for pharmaceutical and alimentary use



pipe's entry



electro-spindles

Products in compliance with the Machine Directive 98/37/CE

*Ciclope reserves the possibility of change, without notice,
the dimensions and the executions of the products listed in this brochure.*

Sawyer and Smith Corporation

5412 Homegardner Road, Castalia, Ohio 44824

Tel.: 419.951.4818 - Fax: 419.951.4822

E-Mail: sales@tubefinishing.com www.tubefinishing.com

WWW.CICLOPE.ORG

March 1, 2010

Contact information update:

We have begun the long arduous process of moving our office.
Please continue to direct mail to:

Sawyer and Smith Corporation
5412 Homegardner Road
Castalia, Ohio 44824

All phone contact to:
423.289.6894

All other email and website information remains the same. You can contact us at any of the existing web addresses. Email is received remotely and responded to more quickly and efficiently than a phone message. If you call the office, please leave a thorough message INCLUDING your email address so that we can send you the required information as soon as possible.

Thank You.